Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 12/11/2015 Date of issue: 12/11/2015

# SECTION 1: IDENTIFICATION

# 1.1. ProductIdentifier

Product Form: Mixture

Product Name: OSCM Hydrocarbon Converter

# 1.2. Intended Use of the Product

Use of the substance/mixture: Oil cleanup

1.3. Name, Address, and Telephone of the Responsible Party

# Company

Titan Source 1, LLC dba Titan Source 1 6313 Equity Dr.

Baton Rouge, LA 70809

225.772.4411

# www.titansource1.com

1.4. Emergency Telephone Number

### Emergency Number : 225.772.4411

# SECTION 2: HAZARDS IDENTIFICATION

22.1. Classification of the Substance or Mixture

# **GHS-US classification**

Skin Irrit. 2	H315	
Eye Dam. 1	H318	
Full text of H-phrases: see section 16		

2.2. Label Elements

# GHS-USLabeling

Hazard Pictograms (GHS-US)

Signal Word (GHS-US) Hazard Statements (GHS-US)

Precautionary Statements (GHS-US)

- GHSO5
- : Danger
- : H315 Causes skin irritation.
  - H318 Causes serious eye damage.
- P264 Wash hands, forearms, and other exposed areas thoroughly after handling.
  P280 Wear protective gloves, protective clothing, and eye protection.
  P302+P352 If on skin: Wash with plenty of water.
  P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes.
  Remove contact lenses, if present and easy to do. Continue rinsing.
  P310 Immediately call a poison center or doctor.
  P321 Specific treatment (see section 4 on this SDS).
  P332+P313 If skin irritation occurs: Get medical advice/attention.
  P362+P364 Take off contaminated clothing and wash it before reuse.

Version: 1.0

# 2.3. Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. May react exothermically with strong acids and incompatible materials. Prolonged contact with metals may evolve flammable hydrogen gas.

# 2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS
---

# 3.1. Substance

Notapplicable

# 3.2. Mixture

Name	ProductIdentifier	%	Classification (GHS-US)
Sodium silicate	(CAS No) 1344-09-8	Proprietary	Met. Corr. 1, H290
			Skin Corr. 1B, H314
			Eye Dam. 1, H318
			STOT SE 3, H335*

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Water	(CAS No) 7732-18-5	Proprietary	Not classified
Proprietary Component 1	Proprietary	Proprietary	Not classified
Proprietary Component 2	Proprietary	Proprietary	Met. Corr. 1, H290
			Skin Irrit. 2, H315
			Eye Dam. 1, H318

\*Sodium silicate powder may cause respiratory irritation through inhalation. The STOT SE 3 classification applies only to powders. The specific chemical identity and/or exact percentage of composition have been withheld as a trade secret [29 CFR 1910.1200]. Full text of H-phrases: see section 16

# SECTION 4: FIRST AID MEASURES

# 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label if possible).

**First-aid Measures After Inhalation**: Keep at rest and in a position comfortable for breathing. Seek medical attention. Symptoms may be delayed.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Seek medical attention immediately if irritation develops or persists.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 60 minutes. Seek medical attention immediately if irritation develops or persists. **First-aid Measures After Ingestion**: Rinse mouth thoroughly with water. Do NOT induce vomiting. Seek medical attention immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes serious eye irritation. Causes skin irritation.

Symptoms/Injuries After Inhalation: Contact may cause immediate severe irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes serious eye damage. Symptoms may include: Redness, pain, blurred vision, and severe burns.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

# 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If you feel unwell, seek medical advice (show the label where possible).

# SECTION 5: FIRE-FIGHTING MEASURES

# 5.1. Extinguishing Media

Suitable Extinguishing Media: This media is not flammable.

# Unsuitable Extinguishing Media: Not recommended on electrical fires.

# 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

**Explosion Hazard:** Product is not explosive, however in contact with incompatibilities may release explosive hydrogen gas. **Reactivity:** May react exothermically with strong acids and incompatible materials. Interaction with some strong acids may cause hydrogen gas evolution.

# 5.3. Advice for Firefighters

**Precautionary Measures Fire:** Exercise caution when fighting any chemical fire. Under fire conditions, hazardous fumes will be present.

Firefighting Instructions: Keep upwind. Keep clear of mist. Wear eye and respiratory protection.

**Protection During Firefighting:** Do not enter fire area without proper protective equipment, including respiratory protection. **Other Information:** Environmental releases may be further denatured by washing with water.

# SECTION 6: ACCIDENTAL RELEASE MEASURES

# 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures**: Avoid all unnecessary exposure. Do not get in eyes, on skin, or on clothing. Do not breathe vapor, mist or spray.

# 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel. Keep upwind.

# 6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Emergency Procedures: Ventilate area.

#### 6.2. Environmental Precautions

Avoid release to the environment unless instructed. Contact competent authorities after a spill.

#### 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Methods for Cleaning Up: Ventilate area. Clean up spills immediately and dispose of waste safely. Cautiously neutralize spilled liquid if safe to do so. Small quantities of liquid spill: take up in inert absorbent material and shovel into container for disposal. Collect absorbed material and place into a sealed, labelled container for proper disposal.

#### **Reference to Other Sections** 6.4.

See heading 8, Exposure Controls and Personal Protection. Concerning disposal elimination after cleaning, see item 13.

# SECTION 7: HANDLING AND STORAGE

#### **Precautions for Safe Handling** 7.1.

Additional Hazards When Processed: May be corrosive to metals upon prolonged contact. Contact with metals may evolve flammable hydrogen gas. Any proposed use of this product in elevated-temperature processes should be thoroughly evaluated to assure that safe operating conditions are established and maintained.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Always wash your hands immediately after handling this product, and once again before leaving the workplace. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke in areas where product is used.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Observe all regulations and local requirements regarding storage of containers. Avoid contact with alkali sensitive metals and incompatible materials, which may liberate flammable hydrogen gas that can produce an explosion in confined vessels.

Storage Conditions: Store in original container. Storage areas should be periodically checked for corrosion and integrity. Store in a dry, cool and well-ventilated place. Keep container closed when not in use. Store away from incompatible materials. Incompatible Products: Strong acids. Strong bases. Strong oxidizers. Alkali sensitive metals such as aluminum, brass, bronze, copper, lead, tin, and zinc.

#### 7.3. Specific End Use(s)

Oil Clean up

# SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. **Control Parameters**

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), NIOSH (REL), or OSHA (PEL).

. . .

.. . . .

#### 8.2. **ExposureControls** \_ .

.

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.
: Gloves. Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory protection.
: Chemically resistant materials and fabrics.
: Wear chemically resistant protective gloves.
: Chemical safety goggles.
: Wear suitable protective clothing.
<ul> <li>If exposure limits are exceeded or irritation is experienced, approved respiratory protection should be worn.</li> </ul>
: Do not eat, drink or smoke during use.
ICAL PROPERTIES
al and Chemical Properties
: Liquid
: Clear to light tan thick Liquid
: No data available

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Odor Threshold	: No data available
рН	: 7.5 - 11.2
Evaporation Rate	: No data available
MeltingPoint	: No data available
Freezing Point	: No data available
Boiling Point	: No data available
Flash Point	: No data available
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Specific Gravity	: 1.22
Solubility	: Miscible in water
Partition Coefficient: N-Octanol/Water	: No data available
Viscosity	: 3.3

9.2. Other Information No additional information available

# SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity:** May react exothermically with strong acids and incompatible materials. May be corrosive to metals upon prolonged contact: Prolonged contact with metals may evolve flammable hydrogen gas.

10.2. Chemical Stability: Stable under recommended handling and storage conditions (see Section 7).

10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

**10.4.** Conditions to Avoid: Direct sunlight, extremely high or low temperatures, sources of ignition, and incompatible materials.

**10.5.** Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Alkali sensitive metals such as Aluminum and aluminum alloys, brass, bronze, copper, lead, tin, and zinc.

10.6. Hazardous Decomposition Products: Corrosive vapors. Sodium oxides. Silicon oxides. Carbon dioxide (CO<sub>2</sub>). Phosphates.

# SECTION 11: TOXICOLOGICAL INFORMATION

# 11.1. Information On Toxicological Effects

Acute Toxicity: Not classified

Sodium silicate (1344-09-8)		
LD50 Oral Rat	3400 mg/kg	
Proprietary Component 1		
LD50 Oral Rat	20 g/kg	
LD50 Dermal Rabbit	20800 mg/kg	

Skin Corrosion/Irritation: Causes skin irritation.

**pH:** 11.2

Serious Eye Damage/Irritation: Causes serious eye damage.

**pH:** 11.2

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified.

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Contact may cause immediate severe irritation.

Symptoms/Injuries After Skin Contact: Causes skin irritation. Symptoms may include: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes serious eye damage. Symptoms may include: Redness, pain, blurred vision, and severe burns.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects.

Chronic Symptoms: None expected under normal conditions of use.

# SECTION 12: ECOLOGICAL INFORMATION

# **12.1.** Toxicity Not classified.

Hydrocarbon Converter		
LC50 Fish 1	1610 ppm (Exposure Time: 96 h - Species: Menidia beryllina)	
LC50 other aquatic organisms 1	1400 ppm (Exposure Time: 48 h - Species: Mysidopsis bahia)	
Sodium silicate (1344-09-8)		
LC50 Fish 1	301 - 478 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
LC 50 Fish 2	3185 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])	
Proprietary Component 1		
LC50 Fish 1	51600 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 1	10000 mg/l (Exposure time: 24 h - Species: Daphnia magna)	
LC 50 Fish 2	41 - 47 ml/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])	
EC50 Daphnia 2	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])	

# 12.2. Persistence and Degradability No additional information available

# 12.3. Bioaccumulative Potential

Sodium silicate (1344-09-8)		
BCF fish 1	(no bioaccumulation expected)	
Proprietary Component 1		
BCF fish 1	<1	
Log Pow	-0.92	

# 12.4. Mobility in Soil No additional information available

# 12.5. Other Adverse Effects

: Avoid release to the environment.

# SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

**OtherInformation** 

**Waste Treatment Methods:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

**Sewage Disposal Recommendations:** Do not dispose of waste into sewer. Do not empty into drains; dispose of this material and its container in a safe way.

# SECTION 14: TRANSPORT INFORMATION

**14.1.** In Accordance with DOT Not regulated for transport

14.2. In Accordance with IMDG Not regulated for transport

**14.3.** In Accordance with IATA Not regulated for transport

# SECTION 15: REGULATORY INFORMATION

# 15.1 US Federal Regulations

OSCM Hydrosorbon Convertor

OSCM Hydrocarbon Converter	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
Sodium silicate (1344-09-8)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
Water(7732-18-5)	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
Proprietary Component 1	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory
EPA TSCA Regulatory Flag	Y2 - Y2 - indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.
ProprietaryComponent 2	
Listed on the United States TSCA (Toxic Substan	ces Control Act) inventory

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# 15.2 US State Regulations

# Proprietary Component 1

U.S. - New Jersey - Right to Know Hazardous Substance List

U.S. - Pennsylvania - RTK (Right to Know) List

# SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date Other Information  12/11/2015
 This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

# GHS Full Text Phrases:

Serious eye damage/eye irritation Category 1
Corrosive to metals Category 1
Skin corrosion/irritation Category 1B
Skin corrosion/irritation Category 2
Specific target organ toxicity (single exposure) Category 3
May be corrosive to metals
Causes severe skin burns and eye damage
Causes skin irritation
Causes serious eye damage
May cause respiratory irritation

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)